## Sanborn Regional School District Facilities Committee Meeting Minutes

Sanborn Regional High School, 17 Danville Road, Kingston, NH February 14, 2018 – 3:00 PM

- Present: Jim Baker, Steve Riley, Michele Croteau
   \*Absent: Larry Heath & Corey Mason
- 2. Call to Order: There being no quorum, the meeting was not called to order.
  - \* The following notes reflect information shared with those present.
- Review of Minutes Wednesday, January 3, 2018
   \*Postponed until next meeting; Jim Baker suggested a modification to the minutes which will be made for presentation at the next meeting.
- Review of Out of Budget Adjustments Steve Riley
   \*Steve Riley explained the need for the budget adjustments to cover the cost of the following out of budget expenses.
  - a. Removal of snow load on roof
  - b. Seminary frozen pipes
  - c. Insurance claim for pole damage
  - d. SRHS boilers
    - 1. Boiler #1: 2 sections & front wall insulation replacement were included in the agreement at a cost of \$28,960; 3 additional sections were determined to need repair and added to the scope of work. The additional cost was a total of \$6,766.
    - 2. Boiler #3: 1 failed section (2 sections repaired)
- 5. Seminary Fire Suppression System review

\*Steve provided an update regarding the Fire Suppression System. At this time the system is still up and running and the boiler room is being maintained at a temperature that allows the system to function.

6. Per request, the following information pertaining to the revolving fund was provided:

Facilities Revolving Account deposits for 2017 & 2018 ytd

a. YTD FY 2018 = \$3,136.25 FY 2017 = \$45,240.25 FY 2016 = \$51,771.50

7. Adjourn @ 4:00 pm