

SANBORN REGIONAL SCHOOL DISTRICT

SRSD File: GBGBA

USE OF AUTOMATED EXTERNAL DEFIBRILLATOR(S)

Statement of Purpose:

The Board authorizes the use of Automatic External Defibrillators (AED) in emergency situations.

Statement of Policy:

The use, administration, and maintenance of the AED is subject to the following conditions:

1. Location of the AEDs: The Superintendent, building principal and school nurse shall select and approve the locations for the AEDs.
2. Maintenance: AEDs will be monitored for battery life and availability of required supplies such as adult and child chest pads, and mask by the School Nurse, or School District designee. Maintenance shall be done according to the AED manufacturer's specifications. Each school will maintain a record of all maintenance that has been performed on the AEDs.
3. Registration of AEDs: In accordance with RSA 153-A:33, the School District or its designee shall register the AEDs with the New Hampshire Department of Safety. See sample registration forms at www.state.nh.us/safety/ems/aed_public_registry_packet.pdf.
4. Incident Reporting: The School District or its designee shall report all instances of AED use with the New Hampshire Department of Safety. See sample incident report forms at www.state.nh.us/safety/ems/aed_public_registry_packet.pdf.
5. Liability Limited: The District, and persons administering the AED(s), shall enjoy the limitations of liability as specified in RSA 153:A-31, as well as other sources of law.

Legal References:

RSA 153-A:28-33, Automated External Defibrillation
State of NH, Bureau of Emergency Medical Services, 271-4568

See Also: JLCEA & KFD

Effective: November 5, 2008

Reaffirmed: March 2, 2011

Revised: January 18, 2012